Electronic Operating Manual (EOM) Compliance Review

I Carl Simmers, Business Manager for Distillation & Reforming, certify the Electronic Operating Manual for Distillation & Reforming is current and accurate as defined by 29CFR 1910 with the following exceptions listed below:

Cal Swanager Signature

12/11/2007

Date

#### **Explanatory Note:**

Chevron defines 29CFR1910 PSM requirements in the EOM (or corresponding 14-tab Operating Standard) as:

- Volume 1, Chapter 3, Safety
- Volume 1, Chapter 5, Normal Operations and Consequence of Deviation
- Volume 2, Start Up / Shut Down Normal Operating Procedures
- Volume 3, Emergency Procedures
  - Emergency Procedure orange binders are available in control rooms containing current emergency procedures.

In- Progress carry over items are not included in compliance certification.1

#### **PSM Compliance Exceptions:**

→ No compliance exceptions listed.

Compliance Certification

December 2007

<sup>&</sup>lt;sup>1</sup> In – Progress carryover items are tracked and listed in the Richmond Refinery MOC database.

Annual Procedure Review (APR) - CalARP / RISO

I Carl Simmers, Business Manager for Distillation & Reforming, certify the Annual Procedure Review for Distillation & Reforming has been conducted. The exceptions are listed and an action plan is in place to address procedures requiring more time to complete the review process.

ABU Manager Sig	gnature	12/11/200 Date	2]
Explanatory Note:			
Findings from Mark CCHS A13-18: CCHS A13-19:	reflect current operating pra	rocedures are reviewed to assur actice." ed to annually certify operating p	•
Compliance Certific	ation	December 2007	

Electronic Operating Manual (EOM) Compliance Review

I Carl Simmers, Business Manager for Distillation & Reforming, certify the Electronic Operating Manual for Distillation & Reforming is current and accurate as defined by 29CFR 1910 with the following exceptions listed below:

Cal 5 12/11/2007

ABU Manager Signature Date

### **Explanatory Note:**

Chevron defines 29CFR1910 PSM requirements in the EOM (or corresponding 14-tab Operating Standard) as:

- · Volume 1, Chapter 3, Safety
- Volume 1, Chapter 5, Normal Operations and Consequence of Deviation
- Volume 2, Start Up / Shut Down Normal Operating Procedures
- Volume 3, Emergency Procedures
  - Emergency Procedure orange binders are available in control rooms containing current emergency procedures.

In- Progress carry over items are not included in compliance certification.1

### PSM Compliance Exceptions:

→ No compliance exceptions listed.

**Compliance Certification** 

December 2007

<sup>&</sup>lt;sup>1</sup> In – Progress carryover items are tracked and listed in the Richmond Refinery MOC database.

Annual Procedure Review (APR) - CalARP / RISO

I Carl Simmers, Business Manager for Distillation & Reforming, certify the Annual Procedure Review for Distillation & Reforming has been conducted. The exceptions are listed and an action plan is in place to address procedures requiring more time to complete the review process.

ABU Manager Sig	gnature	-	12[11] 2007 Date
Explanatory Note:			
Findings from Marc CCHS A13-18: CCHS A13-19:	reflect current operating pra	ocedures are ctice." ed to annually	reviewed to assure that they y certify operating procedures edures."
Compliance Certific	cation	December	2007